

# BEST AVAILABLE COPY

1/22

## CONSTRUCTION OF pCAGGS(B TYPE) AND pCAGGS(BSX)




FIG. 1

2/22




FIG. 2




FIG. 3

## CONSTRUCTION OF pCAGGS-L(TDK)




FIG. 4

## CONSTRUCTION OF pCAGGS-F




FIG. 5

## CONSTRUCTION OF pCAGGS-F5R




FIG. 6




FIG. 7

8/22

# CONSTRUCTION OF pCAGGS-T7





FIG. 8



9/22



**FIG. 9**

10/22




FIG. 10

11/22




FIG. 11

DILUTION DIRECTION →




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16






FIG. 17




FIG. 18

## COMPARISON BETWEEN THE HamRbz METHOD AND THE pCAGGS-T7 METHOD






FIG. 19

20/22


P0d4



P1d7




P2d4




$5.4 \times 10^8$  CIU/ml

FIG. 20


P0d4




P1d9



P2d4



P3d3



$4.6 \times 10^7$  CIU/ml

FIG. 21




FIG. 22

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

**BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☐ FADED TEXT OR DRAWING
- ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☒ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☒ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**